

# Introducing **Advanced IVA (Intelligent Video Analysis) Technology**

## Trip Wire Detection



Allowed to enter the border intelligence deployment

## Counting



Calculates the amount of objects/people passing from predefined line or area.

## Object Missing Detection



Detects Missing / Left Object & sends notifications or warnings & creates alarm

## Parking



Perceives intrusions when suspicious objects/people pass a predefined blocked line.

## IVA Available :

- ☒ Tripwire
- ☒ Perimeter
- ☒ Facial Detection
- ☒ People Counting
- ☒ Missing
- ☒ Foreign Object
- ☒ Crowd
- ☒ Loitering
- ☒ Fast Moving
- ☒ Parking
- ☒ Off-Position
- ☒ Blurred Image
- ☒ Audio Offline
- ☒ Screaming Detection
- ☒ Video Diagnosis

\*Product specifications and appearance may be changed without prior notice due to improvements

**AVTRON**

www.avtrontech.com  
info@avtrontech.com



Scan with your  
Smart phone for  
more information

Authorised Dealer

**BEST CHOICE FOR  
SECURITY PROFESSIONALS**

**AVTRON**  
*Vision Redefined*



## CCTV PRODUCT CATALOGUE

*IP Cameras / Analog Cameras / AHD Camera  
Hybrid , Network & Digital Video Recorders*

*More than 200 Different Models of  
CCTV Products in **one Brand.***







AVTRON Technologies LLC, a US based Company specializes in Designing, Manufacturing and Distribution of Video Surveillance Systems. AVTRON Technologies designs Systems as per client specifications. We specialize in manufacturing customized Products as per client's requirement. Our profound knowledge and experience has developed our ability to foresee and recognize the market trends and fulfill our Clients' needs effectively.

We have consistently developed the most advance line of cameras to provide our Customers with more solutions and options to protect people and properties throughout the globe from smallest requirement to the high end assets for Defense applications along with Government Infrastructure Projects, Airports, Hospitals, Casinos, Stadiums, Hotels, Educational Campuses, Residential, Commercial & Industrial Complexes and Retail facilities etc.

We primarily provide two types of Product Categories – AVTRON Monarch Series for Ultra high resolution requirements and AVTRON Atom Series for high resolution requirements. Other resolutions are available on request if clients have a specific requirement.

We proudly manufacture UL, CE and FCC certified products along with RoHS Compliance. Rigorous QC processes that are implemented in our manufacturing process yields the consistent quality product that we are proud, resulting in a 2 years warranty on our products. We have Global Presence throughout North America, Latin America, Europe, Africa, Asia and Middle East.



The below images show you the size of the most commonly used CCTV resolutions

**Full HD1080P (2.0 MP) Resolution**  
1920 x 1080



**960P (1.3 MP) Resolution**  
1280 x 960



**HD720P (1.0 MP) Resolution**  
1280 x 720



**D1 Resolution**  
740 x 480



BEST CHOICE FOR  
SECURITY PROFESSIONALS



**AVTRON**  
Vision Redefined

## 5.0 MP / 3.0 MP / 2.0MP IP Camera

### MONARCH 5.0 MP

iCRYSPre



#### AM-SM5060-MMR5

5.0MP H.265 Varifocal IP IR Bullet Camera

- **1/2.8"** Exmor Sensor • QXGA 2560 X **1920P**,
- **H.265**/H.264/MJPEG Hardware Compression,
- **18Types iVA** ( Tripwire / Facial detection, People Counting/Object Left & Lost, Crowd / Fast Moving /Screaming Detection )
- WDR • 2.8~12mm **Motorized Lens**
- 2CH Alarm • 2Way Audio • Micro SD,
- **54pcs IR** LED up to 50M • Triple Streaming
- ONVIF S Supported • IP66

#### Other Featured Models :

##### AM-SM5030-MMR3

2560x1920P,  
2.8 ~ 12.0mm lens,  
32 IR LED up to 30M,  
18 iVA, Dual Filter HD ICR,  
PoE, WDR, IP66



##### AM-SM5054-NM

2560x1920P,  
Dual Filter ICR,  
18 iVA Features, PoE,  
WDR & Many More



### MONARCH 3.0MP

iCRYSPre



#### AM-SM3030-MMR3

3.0MP H.265 Vandal V.F. IP IR Dome Camera

- **1/2.8"** Exmor Sensor, QXGA 2048 X **1536P**,
- H.265/H.264/MJPEG Hardware Compression
- **18Types iVA** ( Tripwire / Facial detection, People Counting/Object Left & Lost, Crowd / Fast Moving /Screaming Detection )
- WDR • Triple Streaming • **Micro SD**
- 2CH Alarm • 2.8~12mm **Motorized Lens**
- 2 Way Audio • **32pcs IR** LED up to 30M
- ONVIF S Profile Supported • IP66

#### Other Featured Models :

##### AM-SM3060-MMR5

QXGA 2048x1536P,  
2.8 ~ 12.0mm lens,  
54 IR LED up to 50M,  
18 iVA, Dual Filter HD ICR,  
PoE, WDR, IP66



##### AM-SM3054-NM

1280x960P, 2.8mm,  
Dual Filter ICR,  
PoE, WDR,  
1 Array LED up to 30M



### MONARCH 2.0MP

iCRYSPre



#### AM-DM2011-FMA1

Full HD 2.0MP Fixed IP IR Dome Camera

- **1/2.8"** Exmor Sensor • Full HD 1920x**1080P**,
- H.264(Main/Baseline)/MJPEG Compression
- **Built in iVA** • 2.8 HD Fixed Focus Lens
- Dual-stream • WDR • BLC • Dual Filter ICR
- 4000V Lightning • **1 IR Array** LED up 30M,
- Built In PoE & 12VDC • ONVIF Supported

#### Other Featured Models :

##### AM-DM2061-FMA2

1920x1080P, 2.8mm,  
Dual Filter ICR, PoE, WDR,  
2 Array LED 50M

2.0 MP



##### AM-DM1361-FMA2

1280x960P, 6.0mm,  
Dual Filter ICR, PoE, WDR,  
2 Array LED up to 50M

1.3 MP



BEST CHOICE FOR  
SECURITY PROFESSIONALS



**AVTRON**  
Vision Redefined

## 3.0 MP / 2.0 MP IP Camera 2.0 MP CCTV Lens

### MONARCH 2.0 MP

iCRYSPre



#### AM-EM2063-FMR3

Full HD Fixed IP IR In/Outdoor Dome Camera

- **1/2.8"** Exmor Sensor • Full HD 1920x**1080P**
- H.264(Main/Baseline) / MJPEG Compression
- **Built in iVA** • 6.0 mm Fixed Focus Lens
- Triple Stream • **ROI** • **Corridor Mode**
- WDR Policy • BLC • Dual Filter ICR
- 4000V Lightning • Night Vision up to **25 M**
- Built In PoE & 12VDC • ONVIF Supported
- IP66

#### Other Featured Models :

##### AM-EM2013-FMR1

2.8mm, ROI, Corridor,  
WDR, PoE, IVA,  
Dual Filter ICR, PoE,  
15 IR LED 20M

2.0 MP

1.3 MP



##### AM-EM1363-FMR3

1280x960P, 6mm,  
Dual Filter ICR, PoE,  
IVA, ROI, WDR,  
36 IR LED 25M

1.3 MP



### MONARCH 3.0MP

iCAMPro



#### AM-S3066-VMR1

QXGA 3.0MP IP IR Vandal Dome Camera

- **1/2.8"** Exmor Sensor • QXGA 2048 X**1536P**
- WDR • 3.3 ~ 10mm DC IRIS • Triple Streaming
- H.264/MPEG4/MJPEG • Micro SD
- **USB Slot** • **2 Way** Audio,
- Support 12V DC & PoE(802.3af)
- ONVIF Supported

#### Other Featured Models :

##### AM-S2064-VMR3

3.3 ~ 10mm DC IRIS,  
2-Way Audio, SD,  
30pcs IR LED 30M,  
IP66,

2.0 MP



##### AM-SM1318-NM

C/CS Mount Lens,  
SD, Alarm, Audio

1.3 MP



### ATOM CCTV LENS

iCRYSPre



#### AA-2812-DIVM

2.8 ~ 12.0MM CS Mount Lens

- **Full HD 2.0MP** DC IRIS Varifocal Lens
- **2.8 to 12 MM**
- **F1.4** • **1/3"** **CCD** Support • Optical Glasses
- MOD 0.2MM
- Angle Of Viewing(D°V) 93°x28.7°

#### Other Featured Models :

##### AA-3080-DIVM

3.0 to 8.0MM,  
2.0MP, F1.4

2.0 MP



##### AA-0550-DIVM

5.0 to 50.0MM,  
3.0MP, F1.4

2.0 MP





BEST CHOICE FOR  
SECURITY PROFESSIONALS



**AVTRON**  
Vision Redefined

## 2.0 MP IP IR Speed Dome Camera PoE Network Video Recorder

**MONARCH 2 MP, 30X**

iCRYSPre



**AM-FD6255-R1L30**

Full HD IR IP Speed Dome Camera

- 1/2.8" 2.0MP Exmor Sensor,
- 30x optical & 12x Digital • 1920x1080P
- Built IN IVA, **Auto Tracking** • WDR • SNR
- DSS • AUTO ICR • 255 preset • OSD
- Fan • heater • **Wiper** • SD card
- 14pcs array LEDs up to 180M
- ONVIF S Supported • IP66

**MONARCH 2 MP, 20X**

iCRYSPre



**AM-FD2255-R1T20W**

HD IP IR Speed Dome Camera

- 1/2.8" 2.0MP Exmor Sensor,
- 20x optical & 16x Digital • 1920x1080P
- Built in IVA, **Wiper** • WDR • DNR
- DIS • AUTO ICR • 255 preset • OSD
- Fan • heater • SD card
- 10pcs array LEDs up to 120M
- ONVIF S Supported • IP66

**MONARCH 6 MP~HD**

iCRYSPre



**AM-S208-FHD-PE**

8CH Full HD PoE NVR

- 4/8CH @ 1080P(Full HD) Recording & Viewing
- Supported Resolution **6MP/5MP/3MP/1080P/UXGA/720P/VGA/4CIF**
- Supported bandwidth throughput **160MBPS**
- Intelligent Video Analysis • All Port **PoE** power
- 2SATA Port • HDMI • RJ45(1G) • VGA
- ONVIF Compliant

### Other Featured Models :

**AM-FD6255-R1T30**  
2.0MP,  
30X optical & 16X Digital,  
180M, iVA

2 MP, 30X



**AM-HD6255-T2**  
1.3" CMOS, 1.3MP,  
20X optical & 16X Digital,  
Alarm, iVA

1.3MP, 20X



### Other Featured Models :

**AM-HD2255-R1T20**  
1.3MP,  
20X optical & 16X Digital,  
iVA, Defog, WDR &  
Many More

1.3MP, 20X



**AM-HD2255-R1T30W**  
2.0MP,  
30X optical & 16X Digital,  
120M, iVA

2.0MP, 30X



### Other Featured Models :

**AM-S216-FHD-PE**  
16CH @ 1080P,  
Built in 8CH PoE,  
iVA, HDMI & VGA,  
160MBPS, 4HDD(Optional)

PoE



**AM-S104-FHD-PE**  
4CH 1080P with 4CH PoE  
80MBPS, 32 Remote Users,  
HDMI, VGA

PoE



BEST CHOICE FOR  
SECURITY PROFESSIONALS



**AVTRON**  
Vision Redefined

## Network Video Recorder

**MONARCH 5 MP~HD**

iCRYSPre



**AM-P1664-FHD**

64CH Full HD Intelligent Analysis NVR

- 64CH @ **1080P**(Full HD) ~ **720P**(HD) Recording & Live Viewing
- Supported Resolution 5MP/3MP/1080P/UXGA/720P/VGA/4CIF
- RAID • JBOD • E-SATA • N + 1 Hot Standby
- Up to **16CH** Playback
- Intelligent Video Analysis (Trip wire, Perimeter)
- **16SATA** Port • **2XHDMI** • **2XRJ45**(1G)
- **USB3.0** • VGA • **ONVIF** Compliant

**MONARCH Full HD~HD**

iCRYSPre



**AM-S416-FHD**

16CH Full HD Embedded NVR

- 16CH @ **1080P**(Full HD), **960P**(1.3MP), **720P**(HD) Recording & Live Viewing
- Up to **16CH** Playback
- **4HDD** \* 4TB
- **SMART HDD** Management
- Alarm In/Output
- **HDMI**, VGA, 2 X USB
- **ONVIF** Supported

**ATOM 5MP~HD**

iH3  
Intelligent • Hybrid • 3D



**AA-L216-FHD**

16CH 960P Embedded NVR

- 16CH @ **960P**(HD)
- 8CH @ **1080P**(Full HD) Recording & Viewing,
- Supported Resolution **5MP/3MP/1080P/960P**
- 4CH Playback • 2SATA Port • **E-SATA**
- **Advanced HDD** Mode(Redundant, Backup, Snapshot Partition)
- **HDMI** • **RJ45**(1G) • **USB3.0** • VGA
- **ONVIF** Compliant

### Other Featured Models :

**AM-i816/32-FHD**

32CH/16CH @ 1080P  
Dual HDMI & RJ45  
8HDD\*4TB,  
IVA, 312MBPS



**AM-i216-FHD**

16CH @ Full HD1080P  
HDMI & RJ45,  
2HDD\*4TB, IVA,  
128MBPS



### Other Featured Models :

**AM-S2-FHD Series**

1080P/960P/720P,  
2HDD\*4TB,  
HDMI



**AM-S104-FHD**

4CH 1080P/720P  
1CH Playback  
1 HDD, HDMI



### Other Featured Models :

**AA-L232-FHD**

32CH@ 960P,  
24CH@ 1080P  
16Ch Playback, 3G/Wifi,  
DDNS, Cloud Monitor,  
up to 4TB Each Supports



**AA-L104/8-FHD**

4/8CH @ 1080P  
1/4CH playback, 3G,  
DDNS, Cloud Monitor  
up to 4TB Each Supports



BEST CHOICE FOR  
SECURITY PROFESSIONALS



**AVTRON**  
Vision Redefined

## AHD 2.0 MP to 1.0 MP Camera

### ATOM AHD-2MP



#### AA-2033P-FMR3

**AHD 2.0MP Fixed Lens IR Dome Camera**

- 1/2.8" Exmor Sensor • 1920x1080P
- 3.6MM Mega Pixel Lens
- Dual Video Output Mode(AHD + CBVS Video)
- AHD Video Over Co-Ax 500M • 0.01 Lux
- 36IR LED up to 25M • TDN Vision HD Mech ICR
- OSD Control • D-WDR • Defog • Smart IR
- 2D&3D DNR • HLC • Mirror/Flip
- Privacy Masking & Many More

#### Other Featured Models :

##### AA-2041P-FMA2

24IR LED 20M, OSD, D-WDR, 3DNR, Defog, 3.6MM, IP66



##### AA-2003P-FM

OSD, D-WDR, 3DNR, Defog, 3.6MM



##### AA-2050P-FMR4

2.8-12MM, 42IR LED, 40M, 3Axis, IP66, OSD



### ATOM AHD-1.4MP



#### AA-1341P-FMR2

**AHD 1.4MP Fixed Lens IR Bullet Camera**

- 1/2.8" Exmor Sensor • 1280x1024P
- Dual Video Output Mode(AHD + CBVS Video)
- AHD Video Over Co-Ax 500M • 0.3 Lux
- 36IR LED up to 25M • 3.6MM Mega Pixel Lens
- True Day/Night Vision By HD Mech ICR
- OSD Control • D-WDR • Defog • Smart IR
- 2D&3D DNR • HLC • Mirror/Flip
- Privacy Masking • IP66

#### Other Featured Models :

##### AA-1333P-FMR3

36 IR LED 30M, OSD, D-WDR, 3DNR, Defog, 3.6MM



##### AA-1332P-FMR3

1 Array LED 25M, 3.6MM, OSD, IP66, Metal Dome



##### AA-1314P-VMR3

2.8-12MM, 36IR LED, 30M, 3Axis, IP66, OSD



### ATOM AHD-1MP



#### AA-1051P-VMR7

**AHD 1.0MP Varifocal Lens IR Bullet Camera**

- 1/4" Image Sensor • 1280x720P
- Dual Video Output Mode(AHD + CBVS Video)
- AHD Video Over Co-Ax 500M • 0.3 Lux
- 72IR LED up to 50M • 2.8~12.0MM MP Lens
- True Day/Night Vision By HD Mech ICR
- OSD Control • D-WDR • Defog
- Smart IR, 2D&3D DNR • IP66

#### Other Featured Models :

##### AA-1033P-FSR3

36 IR LED 30M, D-WDR, 3DNR, Smart IR, 2.8MM



##### AA-1041P-FSR2

24IR LED 20M, D-WDR, 3DNR, 3.6MM, IP66



##### AA-10143P-FSR3

36 IR LED 30M, D-WDR, 3DNR, Smart IR, 6.0MM, IP66



BEST CHOICE FOR  
SECURITY PROFESSIONALS



**AVTRON**  
Vision Redefined

## Tribrid Video Recorder

### ATOM AHD-DVR



#### AT 0616V-H8D

**16CH AHD Tribrid Video Recorder**

- H.264 Compression • TRIBRID Support
- Auto Select Video Input for AHD or Analog
- Analog(AHD) : 16CH @ 720P or WD1 Real Time Recording • Analog + IP(HVR): 8CH in Mix 4CH + 4CH IP • IP(NVR): 2/4/8 CH IP Camera input • 4CH Playback
- 6CH Audio • 2HDD \* supports 4TB Each
- Cloud Monitor • 3G/WIFI • DDNS • CMS
- Mobile • HDMI + VGA

#### Other Featured Models :

##### AT 0404V-H8D

4CH @ 720P or 960H  
4CH Playback,  
4CH Audio  
1HDD,



##### AT 0608V-H8D

8CH @ 720P or 960H  
8CH Playback, 6CH Audio,  
1HDD,



### ATOM AHD-DVR



#### AT 0404V-H4D

**4CH AHD Tribrid Video Recorder**

- H.264 Compression • TRIBRID Support
- Auto Select Video Input for AHD or Analog
- Analog(AHD) : 16CH @ 720P or WD1 Real Time Recording • Analog + IP(HVR): 8CH in Mix 4CH + 4CH IP • IP(NVR): 2/4/8 CH IP Camera input • 1CH Playback
- 4CH Audio • 1HDD \* supports 4TB Each
- Cloud Monitor • 3G/WIFI • DDNS • CMS
- Mobile • HDMI + VGA

#### Other Featured Models :

##### AT 0408V-H4D

8CH @ 720P or 960H  
1CH Playback, 4CH Audio  
1HDD,



##### AT 0832V-H16D

32CH @ CIF  
16CH @ IP or 8CH Hybrid Mode  
8 Ch Audio, 2HDD



### ATOM AHD-DVR



#### AT 0608V-FHD

**4CH / 9CH IP Hybrid Video Recorder**

- H.264 Compression • TRIBRID Support
- Auto Select Video Input for AHD or Analog
- Analog(AHD) : 8CH @ 1080P/720P or WD1 Real Time Recording • Analog + IP(HVR): 8CH in Mix 4CH + 4CH IP • IP(NVR): 2/4/8 CH IP Camera input • 8CH Playback
- 6CH Audio • 2HDD \* supports 4TB Each
- Cloud Monitor • 3G/WIFI • DDNS • CMS
- Mobile • HDMI + VGA

#### Other Featured Models :

##### AT 0404V-FHD

4CH @ 1080P/720P or 960H  
4CH Playback,  
4CH Audio  
1HDD,



##### AT 0616V-FHD

16CH @ 1080/720P or 960H  
Multi CH Playback,  
6CH Audio  
2HDD,



BEST CHOICE FOR  
SECURITY PROFESSIONALS



**AVTRON**  
Vision Redefined

## 720 TVL / 700 TVL / 23X Camera

### MONARCH 720 TVL



#### AM-7225P-FMR1

2" Compact IR Metal Dome Camera

- 1/3" **960H** Super HAD II CCD
- **720 TVL**
- **8pcs** Hi Sensitive IR LED
- 0.5 Lux • 0 Lux @ IR ON
- **OSD** Menu
- D-WDR • 2DNR • AGC Control
- Flicker Free & Many More
- Low Power Consumption
- **3.6MM** IR Coated Lens

### MONARCH 750 TVL



#### AM-EP7562P-VMR6

True WDR IR Bullet Camera

- 1/3" **960H** Double Scan CCD • 750TVL
- **TRUE WDR** • Super Low 0.03Lux@B/W
- 2D + 3DNR • BLC/HSBLC • **OSD** Control
- **2.8 ~ 12.0MM** DC Auto IRIS
- 512X Sens up • **16X** Digital Zoom
- 12VDC/(24VAC Optional)
- **IP66** with Cable Managed Cobra Bracket

### MONARCH 23X



#### AM-5256-OS23

Speed Dome Camera

- **23X** Optical/16X Digital Zoom • WDR
- SNR • DSS • AUTO ICR • **256** preset
- **OSD** • Lightning Protection
- Video/Power/RS485 • Built in Power Box
- 220VAC • Fan/Heater
- **Anti Fogging** Device
- **IP66** Outdoor with Wall Mount Bracket,

### Other Featured Models :

#### AM-7205P-FM

OSD, 3.6MM Lens,  
3 Axis Dome



#### AM-7222P-FM

3.6MM Pinhole Lens,  
OSD



### Other Featured Models :

#### AM-EP708P-NM

C/CS Mount,  
OSD, RS485



#### AM-EP706P-VMR1

18 IR LED, 2.8~10,  
3 Axis / RS485



#### AM-EP-7065P-VMR1

18IR LED, 2.8 ~ 10,  
IP66, Vandalism,  
RS485



### Other Featured Models :

#### AM-5256-OS/OH

OS27/37X Optical,  
16X Digital,  
OH23/30/35X Optical,  
12X Digital



#### AM-7256-R1

23/27/37X Optical,  
16X Digital,  
12IR Array LED, 120M



BEST CHOICE FOR  
SECURITY PROFESSIONALS



**AVTRON**  
Vision Redefined

## IR Dome / Bullet / Speed Dome Camera

### ATOM 820 TVL



#### AA-8233P-FSR3

960H PIS IR Fixed Lens 3 Axis Dome Camera

- 1/3" **960H** PIS Sensor
- 820 TVL • Auto WDR • DNR
- **36IR LED** upto 25M • 0 Lux @ IR On
- 3.6MM (2.8, 6.0MM Optional)
- **SMART IR**
- True Day/Night Vision By **Mech ICR**
- 3 Axis ABS Enclosure
- OSD (Optional)

### Other Featured Models :

#### AA-8203P-FM

3.6MM, OSD Control,  
Auto WDR



#### AA-8232P-FMA1

1 Array LED 25M,  
3.6MM, OSD, IP66,  
Metal Dome



#### AA-8244P-FSR2

24IR LED 22M,  
3.6MM, IP66



### ATOM 720 TVL



#### AA-7249P-VMR7

960H CCD IR Varifocal Bullet Camera

- 1/3" **960H** Color CCD • 720TVL • D-WDR
- **SMART IR** • 2DNR • BLC/HSBLC
- **OSD** Control
- Motion Detection
- LED Light Control (**WIDE, TELE & Current**)
- 0.05 Lux • **72pcs** IR LED Up to 60M
- **2.8~12MM** Lens

### Other Featured Models :

#### AA-7233P-FMR3

36 IR LED 30M,  
3.6MM, OSD,  
3 Axis



#### AA-7247P-FMR4

48 IR LED 40M,  
3.6/6.0MM, OSD



### ATOM 22X



#### AA-9122-OCR8

IR Outdoor Speed Dome Camera

- Effectual **22X** Optical • CCD / CMOS
- 540TVL/ 650TVL • 80~100M IR Distance
- 255 Preset
- 4 Group (16preset) • **OSD** Menu
- BLC • AWB
- Adjustable IR LED Parameter
- **IP66** Housing included Wall Mount Bracket

### Other Featured Models :

#### AA-9110-OC

10X Optical, 10X Digital  
1/3" 960H CCD, 650TVL  
128 Preset, DNR, DSS



#### AA-9123-OC

27X Optical,  
12X Digital,  
1/3" 960H CCD, 650TVL,  
128 Preset, DNR, DSS

